

### Product Summary

D-Link 2 Post 19" Aluminium Enclosure Frames & High Density Cable Manager/Organizers (HDVCM) Solutions, Specially designed to meet the challenges of high density cable management due to increase in no of Patch Panel Per Rack and introduction of angular jack panel.

2 Vertical Posts made of Extruded Aluminum Frame & High Density Vertical Cable Manager/Organizer (HDVCM) made of unbreakable Polycarbonate Finger Loops, frame & Doors manufactured out of mild steel sheet punched, formed, welded, powder coated with highest quality standard to ensure best quality products.

Standard configuration will be 6", 8" 12" & 15" with unique double hinged door on Front

### Features:

- 2 Post Aluminum Extruded Frame for Patch Panel & Equipment mounting with Base angled plate for Grouting on the Floor.
- Composite construction basic frame-steel of HDVCM, powder coated and fingers made of polycarbonate for high strength to carry large quantity cables.
- Cable Spools and Slots in Centre supported Member for large quantity cable management.
- Polycarbonate Fingers assure no cable damage
- Fingers can be removed very easily to best suit site requirements
- Unique Double Hinged design front at Front & Rear to open the door from Left to Right and Right to left for easy cable management.
- Free standing on the Floor, Bolted to Open Rack for strength & better alignment with aesthetic looks
- Ladder Support for strength & support
- Grounding and Bonding Options
- 100% assured compatibility with all equipment conforming to DIN 41494. General industrial standard for equipment



## Ordering Information: 2 Post Open Frame

D-Link Part Code	Part Description	Height OD	Height Usable	Height Usable	Usable	Depth
		in mm (H)	in mm (H)	in U (H)	Width(W)	In mm(D)
NOR-OPR45-2P	2 POST OPEN FRAME-45U Aluminum	2150	2000	45U	535	75
NOR-OPR45-2P-PD	2 POST OPEN FRAME-45U Aluminum with 6 Socket PDU 5/15Amp	2150	2000	45U	535	75

## High Density Vertical Cable Organizers

D-Link Part Code	Part Description	Height OD	Height Usable	Height Usable	Width	Depth
		In mm(H)	In mm(H)	in U (H)	In mm(W)	In mm(D)
NOR-HDVCM-F-6	High Density Vertical Cable Manager-6 inch-Front	2150	2000	45U	152	229
NOR-HDVCM-F-8	High Density Vertical Cable Manager-8 inch-Front	2150	2000	45U	203	229
NOR-HDVCM-F-12	High Density Vertical Cable Manager-12 inch-Front	2150	2000	45U	305	229
NOR-HDVCM-F-15	High Density Vertical Cable Manager-15 inch-Front	2150	2000	45U	381	229
NOR-HDVCM-FB-6	High Density Vertical Cable Manager-6 inch-Front&Back	2150	2000	45U	152	457
NOR-HDVCM-FB-8	High Density Vertical Cable Manager-8 inch-Front&Back	2150	2000	45U	203	457
NOR-HDVCM-FB-12	High Density Vertical Cable Manager-12 inch-Front&Back	2150	2000	45U	305	457
NOR-HDVCM-FB-15	High Density Vertical Cable Manager-15 inch-Front&Back	2150	2000	45U	406	457

**Additional Accessories:**

D-Link Part Code	Accessories
NRA-HCM-1CH-F	Horz. Cable Manager-1U PVC Slotted Duct - <b>Channel On Front</b>
NRA-HCM-1CH-FB	Horz. Cable Manager-1U PVC Slotted Duct <b>Channel On Front &amp; Back</b>
NRA-HHDCM-FB-2U	Horz. High Density Cable Manager-2U- <b>Channel On Front &amp; Back</b>
NRA-HHDCM-FB-4U	Horz. High Density Cable Manager-4U- <b>Channel On Front &amp; Back</b>
NOR-CBLLDR-K-12	Cable Ladder-12Inch KIT
NOR-CBLLDR-K-18	Cable Ladder-18Inch KIT
NOR-CT-01	Cantilever Tray 250 1U
NOR-CT-02	Cantilever Tray 400 2U
NOR-HP-20-OP	Mounting Hardware-(Pack of 20)